Contents lists available at ScienceDirect



Editorial

International Journal of Non-Linear Mechanics

journal homepage: www.elsevier.com/locate/nlm



Introduction to the special issue on waves in non-linear solid mechanics

The propagation of large amplitude waves has fascinated scientists for hundreds of years. The mathematical theory of non-linear waves is rooted in attempts to solve specific, concrete problems, many of them related to the propagation of water waves. The most significant research activity on this problem can be traced back to the 19th century, including the classic works of Stokes, Lord Rayleigh, Korteweg and de Vries, Boussinesq, and many others, all the way to the numerical discovery of the soliton in the early 1960s by Zabusky and Kruskal in their study of collisionless plasma. The subject of nonlinear waves is better established and has been studied in greater depth in fluids than in solids, probably because they are much more difficult to observe in the latter than in the former. John Scott Russell was able to jump on a horse to follow and even overtake the solitary water wave traveling on the Union Canal in Edinburgh, Scotland; in contrast, seismic waves travel typically at several kilometers per second! Moreover, the amplitude of a motion in a solid is bounded by the elastic limit. In effect, the vast majority of scientific and technological applications in solid acoustics takes place in the context of linear wave propagation.

However, non-linearity can be introduced in several ways. For example, it can be assumed that an infinitesimal (linearized) wave propagates in a finitely (non-linearly) deformed solid; the resulting "incremental" equations of motion provide a framework for the nondestructive evaluation and characterization of pre-strained solids. Or, it can be assumed that the solid is sufficiently "soft" that it is able to support second-order wave effects without plastic yield.

In fact, wave theories in non-linearly elastic solids are beginning to score important successes in many fields of science and engineering. For example, ultrafast scanners provide a powerful tool for detecting shear wave propagation in biological soft tissues and in phantom gels in transient elastography experiments, such as those conducted at the *Laboratoire Ondes et Acoustique* in Paris; this opportunity opens up new horizons for the non-invasive biomedical imagining of tumoral masses. The Geophysics Group at the *Los Alamos National Laboratory* has observed what they called "dynamic non-linear elastic behavior" in earth materials, probably due to the presence of "soft regions"; this observation has opened up new perspectives in experimental, numerical, and theoretical geophysics and in the non-linear spectroscopy of materials.

These two examples demonstrate that new skills and new methods are required in the modeling of waves in non-linear solids, if only to accompany the development of related technologies. In this volume we present some of these theoretical advances. We have collected various papers from some leading experts, hoping to get a (partial) snapshot of the current activity in the field of waves in non-linear media. The works collected here consider non-linear effects from different points of view. Some of them are concerned with the strong, but fruitful approximation of small-amplitude motions superimposed on large strains. In another class of approximation, some authors consider the theory of weakly non-linear waves in elastic solids. Others tackle the fully non-linear equations of motion. In such a way it was possible to collect a wide range of mathematical methods and modeling approaches, giving a broad overview of the topic of waves in non-linear solids.

With respect to the incremental approach, the articles by Murphy and Destrade, Edmondson and Fu, and Deschamps and Huet are most innovative. Murphy and Destrade's investigation of the influence of compressibility on incremental surface waves in pre-stressed solids generalizes some results obtained recently in the special case of incompressible materials. On the other hand, Edmondson and Fu succeed in the difficult task of incorporating internal constraints in the Stroh formulation of waves in prestressed materials: here the constraint may be isotropic (such as incompressibility) or even anisotropic (such as inextensibility). The Deschamps and Huet in-depth study of inhomogeneous Rayleigh waves and associated wavefronts is remarkable because it leads to a wonderful coincidence between theory and experimental results. This paper is not directly placed within the context of incremental waves per se, but we included it because there is a well-established correspondence between results derived for incremental waves in strain-induced anisotropy and results derived for linear waves in crystal anisotropy; that correspondence deserves to be investigated further in order to extend those beautiful results.

Turning now to other mathematical methods, the article by Domanski and Norris shows how to derive the evolution equations at quadratically non-linear level for the amplitudes of quasilongitudinal and quasi-transverse waves propagating in arbitrary anisotropic media. At the same (quadratic) level of approximation for weakly non-linear waves, Domanski investigates the influence of incompressibility: his study follows from the experimental observations that soft gels and biological soft tissues are essentially incompressible, and that the equations governing the propagation of weakly non-linear waves in those solids must be modified accordingly. Dai and Li develop a method based on dynamical systems theory to study traveling waves in hyperelastic rods, with an application to Mooney-Rivlin materials that may be generalized to more complex constitutive equations. Similarly, Christov and Jordan examine shocks and traveling waves in a taut string, using a powerful mix of qualitative and numerical methods. Rodrigues Ferriera studies the superposition of finite-amplitude shear waves propagating in arbitrary directions in some non-linear elastic materials subject

^{0020-7462/\$-}see front matter C 2008 Elsevier Ltd. All rights reserved. doi:10.1016/j.ijnonlinmec.2009.02.017

to a large homogeneous pre-strain; she shows that for appropriate choices of the polarization and the propagation directions, these waves are exact solutions for the class of Mooney–Rivlin materials.

The remaining papers are more related to modeling issues, and they demonstrate the importance and actuality of wave problems in the framework of non-linear solids. Ogden presents a general theory for the derivation of the incremental equations of motion for a deformed, electromagnetic-sensitive elastic solid; here there are two combined types of anisotropy due to the multi-physical coupling: an anisotropy induced by the large pre-deformation and an anisotropy due to the presence of a time-independent electromagnetic field. Rogerson and Prikazchikov use long-wave expansions to study generalizations of bending and extension for waves in prestressed plates. Porubov and Maugin go up to cubic non-linearities in order to describe the propagation of longitudinal waves in some seismic media. Pucci and Saccomandi show how to model the classic Melde experiment in the framework of non-linear elastodynamics; they use the full non-linear equations to reveal some parametric resonance effects. Durickovic, Goriely and Saccomandi show how to model a non-linear elastic rod in order to display the propagation of the remarkable class of solitary compact waves. Darbha and Rajagopal consider the modeling of unsteady motions in a material that degrades, for example, because of environmental oxidation; their paper provides a concrete example where chemistry meets mechanics. Kiernan, Cui and Gilchrist devote their paper to stress waves in functionally graded foams: here, a finite element model of wave propagation phenomena is used to understand the potential of such materials for cushioning structures.

We are delighted to have been able to put together such a collection of high quality articles on waves in non-linear solid mechanics. We are also happy to dedicate this volume to our mutual friend, Professor Philippe Boulanger, on the occasion of his retirement from the Départment de Mathématiques at the Université Libre de Bruxelles. Philippe's work on finite-amplitude waves in deformed elastic solids has been appreciated worldwide for its elegance and also because it is the natural continuation of the classic works of Fritz John, Ray Ogden, Mike Hayes, Peter Currie, the Italian school of Signorini on Hadamard materials, and others.

We hope to have served all the solid mechanics community in editing this volume. We thank the editorial board of the International Journal of Non-Linear Mechanics to have granted us this opportunity, with special thanks to Ray Ogden for his superb editorial support.

Bibliographical note on Philippe Boulanger on the occasion of his retirement, by M.A. Hayes

As Philippe Boulanger retires from his position as a Professeur de Mécanique at the Département de Mathématique, Université Libre de Bruxelles, it seems fitting to dedicate this special issue to him, because so many of his contributions have touched and influenced research in the field of wave propagation in solids.

Philippe Boulanger has actively participated in the development of mechanics both nationally and internationally. More than 30 years ago he was a founder member of the International Society for the Interaction of Mathematics and Mechanics (and he is currently an elected member of its Executive Committee). He has been a member of the National Belgian Committee for Theoretical and Applied Mechanics since 2001. He was elected President in 2004 and has been active in the organization of its congresses and its Graduate School in Mechanics. From 2004 to 2008 he represented Belgium in the General Assembly of the International Union of Theoretical and Applied Mechanics. He was pleased with the award of the IUTAM Symposium on "Analysis and simulation of human movement" to be held in Leuven in 2010, the first such IUTAM symposium in Belgium since 1973.

Following a brilliant school career, he entered ULB in 1966 to study Physical Science and passed all his university examinations at the highest level. He was awarded the Degree of Doctorat en Sciences with the grade: "La plus grande distinction, avec les félicitations du jury". He then moved swiftly up the academic ladder from the time he joined the staff as assistant in 1971 until he was appointed full professor in 1993. The bulk of his teaching is on analytical mechanics, continuum mechanics, linear and non-linear wave propagation. He has a well-deserved reputation as a clear lecturer who takes great pains with his presentation and content, and he is much appreciated by his students and his audience at national and international conferences.

Philippe Boulanger has been very active in research since he started in 1970 when, at the age of 22, he co-authored his first paper. His list of publications, which follows, shows the breadth and scope of his studies. His early work was in photoelasticity, in which he has retained an interest to the present time. He has made valuable insights into magneto-optical, electro-optical and photoelastic effects in a variety of media, with a particular interest in the Faraday and Hall effects. Later, these earlier studies in electromagnetic effects informed his researches in wave propagation in elastic and viscoelastic solids and viscous fluids. He is equally well at home dealing with anisotropic and isotropic media. He is expert in non-linear waves and is always alert to the possibility of finite amplitude waves in different systems. Wave propagation—both finite amplitude and infinitesimal amplitude-in finitely deformed elastic media was the subject of many studies. He is adept in using bivectors in the description and study of inhomogeneous plane waves and he exposed these connections in the 1993 monograph Bivectors and Waves in Mechanics and Optics, co-written with Michael Hayes. In particular, he studied infinitesimal amplitude waves in elastic crystals and gave a very simple way of determining bounds on wave speeds in cubic, orthorhombic, tetragonal and hexagonal crystals and, in a companion study, of determining the acoustic axes in these crystals. Kinematics of deformation is another area where he made very valuable contributions, with the study of unsheared pairs of infinitesimal material line elements, the determination of the pair of elements suffering the maximum shear in a deformation, the consideration of unsheared triads of infinitesimal material line elements, and the extended polar decomposition of the deformation gradient related to unsheared triads. He is currently completing a major study on finite amplitude inhomogeneous waves in classes of finitely deformed isotropic elastic materials, together with Elizabete Rodrigues Ferreira, who has just finished her PhD under his direction.

The Belgian Academy of Sciences awarded Professor Boulanger the Agathon de Potter Prize for original research in Mathematics during the 3-year period 1976-1978, and the Georges Van Der Linden Prize for original research in Physics, in particular electromagnetic wave propagation, during the period 1989-1992. In his youth Philippe Boulanger excelled in Mathematics and Music. He decided on a career in Science in place of a career as a concert pianist but continues to play the piano and has often entertained fellow attendees at conferences with his exquisite playing. There is another side to his playing-he has been known to accompany young musicians in Dublin playing for their junior music examinations. Because he is very fond of animals, particularly cats, an animal support group calls on him to accompany their performers in their annual fund raising concert. His wife Violeta has been wonderfully supportive of Philippe and his work. My wish for them is that they have many more happy years ahead of them.

Michael Hayes,

University College Dublin.

PS. A word about the Boulanger-Hayes collaboration. It has been a

real pleasure for me to work with Philippe. We met in 1987 following a letter from Robin Knops. To date we have produced 55 joint articles, a book, and some book chapters. From the beginning we adopted the three rules which Hardy and Littlewood drew up for their own very successful collaboration: (i) authors' names are always in the same order; (ii) neither author is expected to read within a specified time what the other sends; (iii) what one author sends to the other need not be correct.

List of publications of Philippe Boulanger

[1] Ph. Boulanger, J. Kestens, G. Mayne, R. Van Geen, Sur un modéle de diélectrique dissipatif, tant au point de vue mécanique qu'électromagnétique et sur l'effet photoélastique généralisé qu'il présente, Comptes Rendus de l'Académie des Sciences de Paris 270 (1970) 794–797.

[2] Ph. Boulanger, G. Mayne, A. Hermanne, J. Kestens, R. Van Geen, L'effet photoélastique dans le cadre de la mécanique rationnelle des milieux continus, Cahiers du Groupe Français de Rhéologie. Tome II. N5 (1971).

[3] Ph. Boulanger, G. Mayne, Tenseur impulsion-énergie d'un continu soumis à des effets thermiques et électromagnétiques, Bulletin de l'Académie Royale de Belgique 57 (1971) 872–890.

[4] Ph. Boulanger, G. Mayne, Etude théorique de l'interaction d'un champ électro-magnétique et d'un continu polarisable et magnétisable, Comptes Rendus de l'Académie des Sciences de Paris 274 (1972) 591–594.

[5] Ph. Boulanger, Une théorie de l'effet Faraday dans un diélectrique viscoélastique isotrope polarisable et magnétisable, Rheologica Acta 12 (1973) 116–126.

[6] Ph. Boulanger, G. Mayne, R. Van Geen, Magnetooptical, electrooptical and photoelastic effects in a polarizable and magnetizable isotropic continuum, International Journal of Solids and Structures 9 (1973) 1439–1464.

[7] G. Mayne, Ph. Boulanger, Théorie des effets rhéo-optiques dans un continu polarisable et magnétisable, Rheologica Acta 13 (1974) 501–512.

[8] Ph. Boulanger, G. Mayne, Bilans d'énergie et de quantité de mouvement pour un continu déformable, polarisable et magnétisable, Archives for Rational Mechanics and Analysis 53 (1974) 295–311.

[9] Ph. Boulanger, Some magneto-optical effects related to the Faraday and Hall effects, in: The Photoelastic Effect and its Applications, IUTAM Symposium, Ottignies 1972, Springer, Berlin Heidelberg, New York, 1975, p. 389.

[10] Ph. Boulanger, G. Mayne, Electrodynamique des continus rigides de type différentiel, Bulletin de l'Académie Royale de Belgique 62 (1976) 22–48.

[11] Ph. Boulanger, G. Mayne, Electrodynamics of continua of the differential type, Letters in Applied and Engineering Sciences 4 (1976) 19–27.

[12] Ph. Boulanger, De l'influence d'un champ magnétique statique sur la réflexion d'une onde électromagnétique à la surface d'un conducteur parfait élastique, Comptes Rendus de l'Académie des Sciences de Paris 285 (1977) 353–356.

[13] Ph. Boulanger, G. Mayne, Modèles intégro-différentiels en électrodynamique linéaire des continus, Bulletin de l'Académie Royale de Belgique 64 (1978) 153–168.

[14] Ph. Boulanger, Contribution à l'électrodynamique des continus élastiques et viscoélastiques, Mémoires de la Classe des Sciences de l'Académie Royale de Belgique. Collection in 8-2ème série, T.XLIII-Fasc.4, 1979.

[15] G. Mayne, Ph. Boulanger, Thermodynamique et causalité en théorie linéaire des continus, Sciences et Techniques de l'Armement 53, 4ème fascicule (1979) 539–551.

[16] Ph. Boulanger, G. Mayne, Linear viscoelastic materials of the integro-differential type, Zeitschrift für Angewandte Mathematik und Mechanik Band 59, Heft 5 (1979) T.113–T.114.

[17] G. Mayne, Ph. Boulanger, Modèles intégro-différentiels isotropes en viscoélasticité linéaire, Rheologica Acta 18 (1979) 199–209.

[18] G. Mayne, Ph. Boulanger, A macroscopic theory of elastic anisotropic dielectrics, in: Rheology volume 1: Principles, VIII International Congress on Rheology, Naples 1980, Plenum Press, New York, London, 1980, pp. 391–394.

[19] Ph. Boulanger, G. Mayne, Optical activity in a linear nondissipative anisotropic dielectric of the rate type, in: G. Maugin (Ed.), The Mechanical Behavior of Electromagnetic Solid Continua, North-Holland, 1983, pp. 93–96.

[20] Ph. Boulanger, On the photoelastic effect in a hemitropic dissipative dielectric, in: Trends in Applications of Pure Mathematics to Mechanics, Lecture Notes in Physics, vol. 49, Springer, Berlin, 1986, pp. 70–75.

[21] Ph. Boulanger, G. Mayne, Sur l'électrodynamique des diélectriques élastiques anisotropes non dissipatifs de type integrodifférentiel, Comptes Rendus du 19ème Colloque GFR, Paris, November 1984, Editions CEPADUES, Toulouse, 1986, pp. 93–100.

[22] Ph. Boulanger, Inhomogeneous magnetoelastic plane waves, in: M.F. McCarthy, M.A. Hayes (Eds.), Elastic Wave Propagation, North-Holland, 1989, pp. 601–606.

[23] B. Lopez Ruiz, G. Quarin, Ph. Boulanger, J.-C. Vire, G. Patriarche, Comportement de particules de Flumazenil et de Quinine adsorbés à l'électrode de Mercure en technique de saut potentiostatique, Electrochimica Acta 35 (1990) 1311–1318.

[24] Ph. Boulanger, M. Hayes, Finite amplitude motions in some non-linear elastic media, in: Proceedings of the Royal Irish Academy, vol. 89A, 1989, pp. 135–146.

[25] Ph. Boulanger, M. Hayes, Inhomogeneous plane waves in viscous fluids, Continuum Mechanics and Thermodynamics 2 (1990) 1–16.

[26] Ph. Boulanger, M. Hayes, Electromagnetic plane waves in anisotropic media: an approach using bivectors, Philosophical Transactions of the Royal Society of London A330 (1990) 335–393.

[27] Ph. Boulanger, M. Hayes, Inhomogeneous plane waves and energy flux in magnetoelasticity, in: R.K.T. Hsieh (Ed.), Mechanical Modellings of New Electromagnetic Materials, Elsevier, 1990, pp. 409–416.

[28] M. Hayes, Ph. Boulanger, Bivectors and inhomogeneous plane waves, in: R.K.T. Hsieh (Ed.), Mechanical Modellings of New Electromagnetic Materials, Elsevier, 1990, pp. 429–436.

[29] Ph. Boulanger, Propagation of small-amplitude waves in a deformed hemitropic dielectric, Proceedings of the Royal Irish Academy 90A (1990) 139–163.

[30] Ph. Boulanger, M. Hayes, K.R. Rajagopal, Some unsteady exact solutions in the Navier–Stokes and the second grade fluid theories, Stability and Applied Analysis of Continuous Media 1 (1991) 185–204.

[31] Ph. Boulanger, M. Hayes, Universal relations for wave propagation in crystals, Quarterly Journal of Mechanics and Applied Mathematics 44 (1991) 235–240.

[32] Ph. Boulanger, M. Hayes, On the energy flux for finite amplitude waves in Navier–Stokes and second grade fluids, in: D. Fusco, A. Jeffrey (Eds.), Nonlinear Waves and Dissipative Effects, Pitman Research Notes in Mathematics Series, vol. 227, Longman Scientific & Technical, 1991, pp. 12–17.

[33] Ph. Boulanger, M. Hayes, Bivectors and inhomogeneous plane waves in anisotropic elastic bodies, in: J.J. Wu, T.C.T. Ting, D.M. Barnett (Eds.), Modern Theory of Anisotropic Elasticity and Applications (ARO Workshop Proceedings), SIAM publications, Philadelphia, 1991, pp. 280–289. [34] Ph. Boulanger, M. Hayes, Some remarks on photoelasticity, Archives for Rational Mechanics and Analysis 116 (1991) 199–222.

[35] Ph. Boulanger, M. Hayes, On shear, shear stress and shearing, Journal of the Mechanics and Physics of Solids 40 (1992) 1449–1457.

[36] Ph. Boulanger, M. Hayes, Static and propagating exponential solutions of Maxwell's equations for crystals, Proceedings of the Royal Society of London A 438 (1992) 485–510.

[37] Ph. Boulanger, M. Hayes, Finite amplitude waves in deformed Mooney–Rivlin materials, Quarterly Journal of Mechanics and Applied Mathematics 45 (1992) 575–593.

[38] Ph. Boulanger, M. Hayes, Bivectors and Waves in Mechanics and Optics, Chapman & Hall, London, 1993, p. 275.

[39] Ph. Boulanger, M. Hayes, C. Trimarco, Finite amplitude plane waves in deformed Hadamard elastic materials, Geophysical Journal International 118 (1994) 447–458.

[40] Ph. Boulanger, M. Hayes, The common conjugate directions of plane sections of two concentric ellipsoids, Zeitschrift für Angewandte Mechanik und Physik 46 (1995) 356–371.

[41] Ph. Boulanger, M. Hayes, Inhomogeneous plane waves in anisotropic elastic materials, in: D.F. Parker, A.H. England (Eds.), IU-TAM Symposium on Anisotropy, Inhomogeneity and Nonlinearity in Solid Mechanics, Solids Mechanics and its Applications, vol. 39, Kluwer Academic, Dordrecht, 1995, pp. 431–436.

[42] Ph. Boulanger, M. Hayes, Further properties of finiteamplitude plane waves in deformed Mooney–Rivlin materials, Quarterly Journal of Mechanics and Applied Mathematics 48 (1995) 427–464.

[43] Ph. Boulanger, M. Hayes, Energy flux and dissipation in linear dissipative systems, in: K.R. Rajagopal (Ed.), Recent Advances in Elasticity, Viscoelasticity and Inelasticity, Series on Advances in Mathematics for Applied Sciences, vol. 26, World Scientific, Singapore, 1995, pp. 1–6.

[44] Ph. Boulanger, M. Hayes, On Young's modulus for anisotropic media, Journal of Applied Mechanics, Transactions of the ASME 62 (1995) 819–820.

[45] Ph. Boulanger, M. Hayes, Collected results on finite amplitude waves in deformed Mooney–Rivlin materials, in: R. Russo (Ed.), Mathematical Problems in Elasticity, World Scientific, Singapore, 1996, pp. 1–45.

[46] Ph. Boulanger, M. Hayes, Propagating and static exponential solutions in a deformed Mooney–Rivlin material, in: M.M. Carroll, M.A. Hayes (Eds.), Nonlinear Effects in Fluids and Solids, Plenum Press, New York, London, 1996, pp. 113–123.

[47] Ph. Boulanger, M. Hayes, Largest and least phase and energy speeds for plane waves in deformed Mooney–Rivlin materials, in: R.C. Batra, M.F. Beatty (Eds.), Contemporary Research in the Mechanics and Mathematics of Materials, Proceedings of the Symposium on Recent Developments in Elasticity, Baltimore, June 12-15, 1996, CIMNE, Barcelona, 1996, pp. 145–150.

[48] Ph. Boulanger, M. Hayes, Wave propagation in sheared rubber, Acta Mechanica 122 (1997) 75–87.

[49] Ph. Boulanger, M. Hayes, Poisson's ratio for orthorhombic materials, Journal of Elasticity 50 (1998) 87–89.

[50] Ph. Boulanger, M. Hayes, Bounds on elastic wave-speeds in crystals: theory and applications, Proceedings of the Royal Society of London A 454 (1998) 2289–2322.

[51] Ph. Boulanger, M. Hayes, Acoustic axes for elastic waves in crystals: theory and applications, Proceedings of the Royal Society of London A 454 (1998) 2323–2346.

[52] Ph. Boulanger, Energy flux for damped inhomogeneous plane waves in viscoelastic fluids, Wave Motion 28 (1998) 215–225.

[53] Ph. Boulanger, M. Hayes, On Cauchy shear, planar shear and Jaeger shear, in: E.M. Croitoro (Ed.), Proceedings of the 1st Canadian Conference on Nonlinear Solid Mechanics (Victoria, June 16–20,1999), University of Victoria Press, Victoria, 1999, pp. 108–115.

[54] Ph. Boulanger, M. Hayes, On finite shear, Archive for Rational Mechanics and Analysis 151 (2000) 125–185.

[55] Ph. Boulanger, Acoustic axes and circularly polarized waves in crystals, in: P.E. Donoghue, J.N. Flavin (Eds.), Symposium on Trends in the Application of Mathematics to Mechanics 2000, Elsevier, Paris, 2000, pp. 35–41.

[56] Ph. Boulanger, M. Hayes, On infinitesimal shear, Journal of Elasticity 59 (2000) 227–236.

[57] Ph. Boulanger, M. Hayes, Special inhomogeneous plane waves in cubic crystals, Zeitschrift für angewandte Mathematik und Physik 51 (2000) 1031–1038.

[58] Ph. Boulanger, M. Hayes, Unsheared triads and extended polar decompositions of the deformation gradient, International Journal of Nonlinear Mechanics 36 (2001) 399–420.

[59] Ph. Boulanger, M. Hayes, Complex eigenvalues of the deformation gradient, Mathematics and Mechanics of Solids 6 (2001) 245–248.

[60] Ph. Boulanger, M. Hayes, Shear, in: Y.B. Fu, R.W. Ogden (Eds.), Nonlinear Elasticity: Theory and Applications, London Mathematical Society, Lecture Note Series, vol. 283, Cambridge University Press, 2001, pp. 201–229.

[61] Ph. Boulanger, M. Hayes, Elements of the theory of finite strain, in: Topics in Finite Elasticity, CISM Courses and Lectures No. 424, Springer, Wien, 2001, pp. 1–30.

[62] Ph. Boulanger, M. Hayes, Finite-amplitude waves in Mooney–Rivlin and Hadamard materials, in: Topics in Finite Elasticity, CISM Courses and Lectures No. 424, Springer, Wien, 2001, pp. 131–167.

[63] Ph. Boulanger, M. Hayes, On shearing, stretching and spin, Theoretical and Computational Fluid Dynamics 15 (2002) 199–229.

[64] Ph. Boulanger, M. Hayes, In general there are no unsheared tetrads, Journal of Elasticity 68 (2002) 177–180.

[65] Ph. Boulanger, M. Hayes, A note on maximum shear, Journal of Elasticity 69 (2002) 215–222.

[66] Ph. Boulanger, M. Hayes, Classes of inhomogeneous plane waves in cubic crystals, in: E.M. Croitoro (Ed.), Proceedings of the 2nd Canadian Conference on Nonlinear Solid Mechanics, Vancouver, June 19–23, 2002, e-PRINTit, Kingston, Ontario, 2002, pp. 201–207.

[67] Ph. Boulanger , M. Hayes, Circularly polarized inhomogeneous waves in crystals, in: E.M. Croitoro (Ed.), Proceedings of the 2nd Canadian Conference on Nonlinear Solid Mechanics, Vancouver, June 19–23, 2002, e-PRINTit, Kingston, Ontario, 2002, pp. 221–228.

[68] Ph. Boulanger, M. Hayes, Finite amplitude waves in a special deformed Hadamard material, in: E.M. Croitoro (Ed.), Proceedings of the 2nd Canadian Conference on Nonlinear Solid Mechanics, Vancouver, June 19–23, e-PRINTit, Kingston, Ontario, 2002, pp. 365–371.

[69] Ph. Boulanger, M. Hayes, Unsheared triads and extended polar decompositions in finite strain, in: E.M. Croitoro (Ed.), Proceedings of the 2nd Canadian Conference on Nonlinear Solid Mechanics, Vancouver, June 19–23, 2002, e-PRINTit, Kingston, Ontario, 2002, pp. 441–447.

[70] Ph. Boulanger, M. Hayes, New decompositions of the displacement gradient for infinitesimal strain, Proceedings of the Royal Irish Academy 103A (2003) 113–141.

[71] Ph. Boulanger, M. Hayes, An anisotropic electromagneticelastic analogy, Journal of Applied Mathematics, Mechanics and Informatics 8 (2003) 17–33.

[72] Ph. Boulanger, M. Hayes, On Jaeger shearing, Mathematics and Mechanics of Solids 9 (2004) 221–228.

[73] Ph. Boulanger, M. Hayes, On pure shear, Journal of Elasticity 52 (2004) 91–98.

[74] Ph. Boulanger, M. Hayes, Unsheared triads in strain and straining, in: Y. Wang, K. Hutter (Eds.), Trends in Applications of

Mathematics to Mechanics, Proceedings of the XIVth International Symposium on Trends in Applications of Mathematics to Mechanics, Seeheim, Germany, August 22–28, 2004, Shaker Verlag, Aachen, 2005, pp. 51–60.

[75] E. Rodgrigues Ferriera, Ph. Boulanger, Finite-amplitude damped inhomogeneous waves in a deformed Blatz-Ko material, Mathematics and Mechanics of Solids 10 (2005) 377–387.

[76] Ph. Boulanger, M. Hayes, Constructions of unsheared pairs in finite strain, International Journal of Nonlinear Mechanics 40 (2005) 289–293.

[77] Ph. Boulanger, M. Destrade, M. Hayes, Inhomogeneous "longitudinal" circularly-polarized plane waves in anisotropic elastic crystals, Acta Acustica united with Acustica, 92 (2006) 247–255.

[78] Ph. Boulanger, M. Hayes, Extended polar decompositions for plane strain, Journal of Elasticity 83 (2006) 29–64.

[79] A. Goriely, Ph. Boulanger, J. Leroy, Toy models: the jumping pendulum, American Journal of Physics 74 (2006) 784–788.

[80] E. Rodrigues Ferriera, Ph. Boulanger, Superposition of transverse and longitudinal finite-amplitude waves in a deformed Blatz-Ko material, Mathematics and Mechanics of Solids 12 (2007) 543–558.

[81] Ph. Boulanger, M. Hayes, Consequences of a result on pure shear, International Journal of Nonlinear Mechanics 42 (2007) 376–380.

[82] Ph. Boulanger, M. Hayes, The effect of a linear constraint on the small oscillations of a dynamical system with three degrees of freedom, Note di Matematica, 27 (2007) 13–26.

[83] Ph. Boulanger, M. Hayes, Bounds on the extensional strains in elastic homogeneous crystals under simple tension, IMA Journal of Applied Mathematics 72 (2007) 577–596.

[84] Ph. Boulanger, M. Hayes, Determination of the infinitesimal strain tensor from shears and elongations, Journal of Elasticity 92 (2008) 209–216.

[85] E. Rodrigues Ferriera, Ph. Boulanger, M. Destrade, Large amplitude Love waves, Quarterly Journal of Mechanics and Applied Mathematics 61 (2008) 353–371.

M. Destrade* School of Electrical, Electronic, and Mechanical Engineering, University College Dublin, Belfield, Dublin 4, Ireland E-mail address: destrade@lmm.jussieu.fr

> G. Saccomandi Dipartimento di Ingegneria Industriale, Università degli Studi di Perugia, 06125 Perugia, Italy 13 February 2009